

**DRAFT**

**PRE-CERCLIS SCREENING ASSESSMENT**

**CHECKLIST/DECISION FORM**

**FOR**

**ACME METAL COMPANY**

**Detroit, Wayne Company**

**Michigan**

**September 11, 2002**

US EPA RECORDS CENTER REGION 5



421648

# PRE-CERCLIS SCREENING ASSESSMENT CHECKLIST/DECISION FORM

This checklist can assist the investigator during the Pre-CERCLIS screening. It will be used to determine whether further steps in the site investigation process are required under CERCLA. Use additional sheets, if necessary.

**Checklist Preparer:** Nabil Seif/EQA 9/11/2002  
(Name/Title) (Date)  
P.O Box 30426, Lansing, MI 48864 517-373-8936  
(Address) (Phone)  
SEIFN@michigan.gov  
(E-mail Address)

**Site Name:** ACME Metal Company

**Previous Names (if any):** Same

**Site Location:** 1436 Holbrook Street  
(Street)  
Detroit MI 48211  
(City) (State) (Zip)

**Latitude:** N/A **Longitude:** N/A

Complete the following checklist. If "yes" is marked, please explain below.

	Yes	NO
1. Does the site already appear in CERCLIS?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Is the release from products that are part of the structure of, and result in exposure within, residential buildings or businesses or community structure?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Does the site consist of a release of a naturally occurring substance in the unaltered form, or altered solely through naturally occurring processes or phenomena, from a location where it is naturally found?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4. Is the release into a public or private drinking water supply due to deterioration of the system through ordinary use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Is some other program actively involved with the site (i.e., another Federal, State, or Tribal program)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6. Are the hazardous substances potentially released at the site regulated under a statutory exclusion (i.e., petroleum, natural gas, natural gas liquids, synthetic gas usable for fuel, normal application of fertilizer, release located in a workplace, naturally occurring or regulated by the NRC, UMTRCA, or OSHA)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
7. Are hazardous substances potentially released at the site excluded by policy considerations (e.g., deferral to RCRA Corrective Action)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8. Is there sufficient documentation that clearly demonstrate that there is no potential for a release that could cause adverse environmental or human health impacts (e.g., comprehensive remedial investigation equivalent data showing no release above ARARs, completed removal action, documentation showing that no hazardous substance release have occurred, EPA approved risk assessment completed)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

**SITE DETERMINATION:**

- ☐ Enter the site into CERCLIS. Further assessment is recommended (explain below)
- ☒ The site is not recommended for placement into CERCLIS (explain below)

**DECISION/DISCUSSION/RATIONALE:**

State Agency/Tribe:

*Nabil Seif*

Print Name/Signature

*9/11/02*

Date

Regional EPA Reviewer:

Print Name/Signature

Date

## **PRE-CERCLIS DECISION**

The ACME Metal Company (AMC) address is 1436 Holbrook Street, Detroit, Wayne County, Michigan.

On July 9, 2002, the Michigan Department of Environmental Quality, Environmental Response Division, Superfund Section, Pre-Remedial Group conducted a site visit to AMC facility but was unable to locate the facility at this address.

It appeared that the facility had been demolished and redeveloped as a part of the American Axle Manufacturing Company complex.

Based on the finding of this investigation and the fact that this site is not a National Priorities List caliber, the site is not recommended for placement into the CERCLIS.

